



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Passengers inspected:	
Incoming	69
In transit	990
Immigrants inspected	41
Rejections	0
Members of crews inspected	848
Bills of health issued	28
Passengers detained in quarantine	15

RUSSIA.

Report from Libau—Status of cholera in Russia—Inspection of emigrants.

Acting Assistant Surgeon De Forrest reports, November 23 :

During the week ended November 23, 50 new cases of cholera, with 14 deaths, occurred in St. Petersburg.

CHOLERA REPORTS FROM OTHER LOCALITIES IN RUSSIA.

In district of Schuscha (Government of Jelissawetpol) from beginning of epidemic to November 18, 29 new cases, 20 deaths.

District of Tomsk, November 1-3, 2 new cases.

District of Barnoul, October 29-November 12, 88 cases, 26 deaths.

District of Smeinogorska, October 29-November 12, 16 cases, 6 deaths.

District of Jelissawetpol, November 14-15, 1 case, 1 death.

District of Erivan, November 12-16, 15 cases, 8 deaths.

Kars, November 12-16, 4 cases, 3 deaths.

Batoom, November 12-16, 4 cases, 2 deaths.

Tiflis, November 15, no cases for five days.

Omsk, November 15, 4 cases, 2 deaths.

District of Feodosia, November 15, 1 case.

District of Dnaprowsk, November 15, 1 case,

District of Schtscherbinow-Bergwerk (Ekaterinaslaw), 2 cases.

District of Bijsk, November 8-17, 16 cases, 8 deaths.

Novo-Nikolajewsk, November 15, 4 cases, 1 death.

Barnoul, November 15, 1 case.

District of Barnoul, November 15, 16 cases, 5 deaths.

Dorpat, November, 18-19, 4 cases, 2 deaths.

Kief, November 20, 1 case.

Kief (Government), November 20, 5 cases.

The cases in Dorpat occurred in a family of farmers, or laborers, who came there to work. All were isolated, and no other cases have been reported.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—
UNTABULATED.

AUSTRALIA—*Melbourne*.—Two months ended October 3, 1908. Estimated population 526,400. Total number of deaths not reported, including enteric fever 1, scarlet fever 1, and diphtheria 9. Cases: Enteric fever 9, scarlet fever 64, and diphtheria 146.

State of Victoria.—Two months ended October 3, 1908. Estimated population 1,237,998. Total number of deaths not reported. Deaths from contagious diseases reported were enteric fever 3, scarlet fever 2, and 18 from diphtheria. Cases: Enteric fever 31, scarlet fever 114, and diphtheria 280.

AUSTRIA-HUNGARY—Budapest.—Month of October, 1908. Estimated population, 804,200. Total number of deaths, 1,060, including enteric fever 1, scarlet fever 5, diphtheria 6, and 2 from measles. Cases: Enteric fever 11, scarlet fever 145, diphtheria 61, measles 87, and whooping cough 5.

BRAZIL—Ceara.—Month of October, 1908. Estimated population, 50,000. Total number of deaths, 75, including enteric fever 5, whooping cough 3, and 10 from tuberculosis.

São Paulo, Santos, and Campinas.—Two weeks ended October 25, 1908. Estimated population, 300,000. Total number of deaths, 424, including measles 7, enteric fever 1, smallpox 21, whooping cough 3, diphtheria 1, and 34 from tuberculosis.

CANADA—Yukon Territory—Dawson.—Month of September, 1908. Total number of deaths, 2.

Month of October, 1908. Total number of deaths, 7.

Ontario—Hamilton.—Month of November, 1908. Estimated population, 66,967. Total number of deaths, 73, including enteric fever 3, scarlet fever 2, diphtheria 1, and 6 from tuberculosis. Cases: Enteric fever 4, scarlet fever 24, diphtheria 6, and whooping cough 15.

Ontario—Niagara Falls.—Month of November, 1908. Estimated population, 10,000. Total number of deaths, 15.

British Columbia—Victoria.—Month of November, 1908. Estimated population, 60,100. Total number of deaths from all causes, 29, including 1 from tuberculosis. Cases: Measles 3, scarlet fever 2, diphtheria 13, whooping cough 10, enteric fever 12.

Nova Scotia—Yarmouth.—Month of November, 1908. Estimated population, 6,700. Total number of deaths, 15; causes of death not reported. Cases: Scarlet fever 3, diphtheria 7.

COLOMBIA—Cartagena.—Two weeks ended November 15, 1908. Estimated population, 30,000. Total number of deaths, 17, including 3 from tuberculosis. Cases: Tuberculosis 2.

FRANCE—Nice.—Month of October, 1908. Estimated population, 150,881. Total number of deaths, 182, including diphtheria 2, enteric fever 3, and 41 from tuberculosis.

St. Etienne.—Two weeks ended November 15, 1908. Estimated population, 150,000. Total number of deaths, 134, including enteric fever 4, scarlet fever 1, diphtheria 1, and 26 from tuberculosis. Cases: Enteric fever 5, diphtheria 5, and scarlet fever 17.

GIBRALTAR.—Three weeks ended November 22, 1908. Estimated population, 36,830. Total number of deaths, 24, including enteric fever

1, and 3 from tuberculosis. Cases: Enteric fever 4, measles 22, and tuberculosis 3.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended November 21, 1908, correspond to an annual rate of 15.6 per 1,000 population, which is estimated at 16,234,952.

London.—One thousand three hundred and fifty-seven deaths were registered during the week, including measles 32, scarlet fever 8, diphtheria 16, enteric fever 11, whooping cough 7, tuberculosis 145, and 31 from diarrhea. The deaths from all causes correspond to an annual rate of 15.1 per 1,000. In Greater London 1,988 deaths were registered. In the "outer ring" the deaths included 5 from measles, 1 from scarlet fever, 5 from diphtheria, and 3 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended November 21, 1908, in the 21 principal town districts of Ireland was 20.1 per 1,000 of the population, which is estimated at 1,131,959. The lowest rate was recorded in Galway, viz, 3.9, and the highest in Wexford, viz, 42.0 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended November 21, 1908, correspond to an annual rate of 17.3 per 1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Leith, viz, 22.8, and the lowest in Paisley, viz, 10.4 per 1,000. The aggregate number of deaths registered from all causes was 610, including enteric fever 4, diphtheria 9, scarlet fever 8, measles 2, and 16 from whooping cough.

ITALY—*Genoa.*—Months of September and October, 1908. Estimated population, 279,163. Total number of deaths, 640, including diphtheria 1, enteric fever 13, scarlet fever 1, and .99 from tuberculosis. Cases: Smallpox 7, enteric fever 64, scarlet fever 9, diphtheria 6, measles 16.

JAPAN—*Formosa.*—Six weeks ended October 31, 1908. Estimated population, 3,050,004. Total number of deaths not reported. Deaths from contagious diseases reported were 13 from enteric fever. Cases: Enteric fever 53, scarlet fever 1, and diphtheria 3.

SPAIN—*Almeria.*—Month of October, 1908. Estimated population, 50,000. Total number of deaths, 131, including enteric fever 2, whooping cough 2, and 13 from tuberculosis.